

# ***Attic Breeze***<sup>®</sup>

America's Leader in Solar Powered Ventilation

**MAKING ENERGY  
EFFICIENCY & MOISTURE  
CONTROL A *BREEZE***

Solar ventilation products engineered  
for performance and built to last.

# CMA Model Series



## Includes

- Fan with 14" aluminum blades
- Monocrystalline solar panel
- Integrated, adjustable bracket
- Stainless steel wildlife guard
- Thermal control & fire safety switch
- Contractor installation kit
- **Industry-leading LIFETIME Parts Limited Warranty**

Designed for roofs with good sun exposure throughout the day, the CMA model series fans feature an adjustable unit-mounted solar panel and offer a curb-mount base for easy installation on roofs featuring Spanish tile or other high-profile roofing materials, as well as metal or flat roof applications where a roof curb may be appropriate for installation.


Engineered with Attic Breeze UltraFlo® technology and third-generation performance upgrades, the CMA solar attic fans deliver up to 1925 CFM of airflow in full sun exposure and offer an industry-leading Lifetime Parts Limited Warranty.

**Model Shown: AB-4543A Bronze Brown**

## Product Features


- High-efficiency monocrystalline solar panel with integrated, adjustable bracket.
- Curb-mount design for high-profile roofs with a range of heavy duty powder coated color options.
- Durable corrosion-resistant zincalume alloy metal construction with stainless steel hardware.
- Includes weatherproof caulking, mounting screws, and pre-drilled mounting holes for easy installation.
- Dynamically balanced 14" aluminum fan blade for whisper quiet operation.
- Thermal control and fire safety switch (included) or available Breeze Mate® control system (optional).
- Made in the USA from high quality domestic and foreign materials featuring a Lifetime Parts Limited Warranty.

## Stock Color Options



Custom colors available for an additional charge, reach out to learn more.

## Premium Color Options



## Compare Models

Model	AB-2543A	AB-3543A	AB-4543A
<b>Maximum Airflow</b>	1500 CFM	1775 CFM	1925 CFM
<b>Attic Coverage</b>	up to 2500 sqft*	up to 2850 sqft*	up to 3100 sqft*
<b>Solar Panel</b>	25 watt	35 watt	45 watt

\*Proper sizing of our attic fans depends on a variety of factors including roof pitch, attic size, architecture, roof color, as well as the specific ventilation application. Please visit our Design Studio at [www.atticbreeze.net](http://www.atticbreeze.net) for more information, contact your nearest distributor or Attic Breeze at 877-288-4234.

†Tog-L-Loc® is a federally registered trademark owned by BTM Corporation.

# CMD Model Series

Designed for northern-facing roofs or shaded roof areas where more sun exposure is needed, the CMD model series fans feature a remote-mounted solar panel and offer a curb-mount base for easy installation on roofs featuring Spanish tile or other high-profile roofing materials, as well as metal or flat roof applications where a roof curb may be appropriate for installation.

Engineered with Attic Breeze UltraFlo® technology and second-generation performance upgrades, the CMD solar attic fans deliver up to 2150 CFM of airflow in full sun exposure and offer an industry-leading Lifetime Parts Limited Warranty.

**Model Shown: AB-2534D Weathered Gray**




## Product Features

- High-efficiency monocrystalline solar panel with remote mount brackets and 25' power cable.
- Curb-mount design for high-profile roofs with a range of heavy duty powder coated color options.
- Durable corrosion-resistant zincalume alloy metal construction with stainless steel hardware.
- Includes weatherproof caulking, mounting screws, and pre-drilled mounting holes for easy installation.
- Dynamically balanced 14" aluminum fan blade for whisper quiet operation.
- Thermal control and fire safety switch (included) or available Breeze Mate® control system (optional).
- Made in the USA from high quality domestic and foreign materials featuring a Lifetime Parts Limited Warranty.

## Includes

- Fan with 14" aluminum blades
- Remote-mounted, monocrystalline solar panel
- Standard fixed bracket system
- Stainless steel wildlife guard
- 25 feet, 18 AWG power cord
- Thermal control & fire safety switch
- Contractor installation kit
- **Industry-leading LIFETIME Parts Limited Warranty**

## Stock Color Options



Custom colors available for an additional charge, reach out to learn more.

## Premium Color Options



## Compare Models

Model	AB-2543D	AB-3543D	AB-4543D	AB-6543D
<b>Maximum Airflow</b>	1500 CFM	1775 CFM	1925 CFM	2150 CFM
<b>Attic Coverage</b>	up to 2500 sqft*	up to 2850 sqft*	up to 3100 sqft*	up to 3450 sqft*
<b>Solar Panel</b>	25 watt	35 watt	45 watt	65 watt

\*Proper sizing of our attic fans depends on a variety of factors including roof pitch, attic size, architecture, roof color, as well as the specific ventilation application. Please visit our Design Studio at [www.atticbreeze.net](http://www.atticbreeze.net) for more information, contact your nearest distributor or Attic Breeze at 877-288-4234.

†Tog-L-Loc® is a federally registered trademark owned by BTM Corporation.