

Best in Class.

Best in Performance.

Take a closer look at our Solar Ventilation Products.



CORROSION-RESISTANT ALL METAL DESIGN

Zincalume alloy construction with
Tog-L-Lok® metal fastening.

UP TO 1925 CFM OF AIRFLOW PERFORMANCE

The most powerful unit-mounted
solar panel in the industry.

FULLY ADJUSTABLE SOLAR PANEL BRACKET

Adjustable incline flexibility up
to 45 degrees.

INTEGRATED THERMAL SWITCH AND FIRE SAFETY SWITCH

Standard across all product models.

INSTALLATION ASSISTANCE

Pre-drilled mounting holes,
weatherproof caulking, mounting
screws, and hole template.



**LIFETIME PARTS
LIMITED WARRANTY***



**CORROSION
RESISTANT**



**OPTIMUM POWER
PRODUCTION**



**FL & TX WINDSTORM
APPROVED****

* Lifetime Parts Limited Warranty applies to products in the Attic Breeze line. Cardinal by Attic Breeze products are limited to a 25-Year Parts Limited Warranty. ** Refer to website for approved models.

SELF-FLASHING

SFA Model Series



Designed for roofs with good sun exposure throughout the day, the SFA model series fans feature an adjustable unit-mounted solar panel and self-flashing fan base for easy installation on roofs with composite shingles, cedar shake, flat concrete tiles, or other low-profile roofing materials.

Engineered with Attic Breeze UltraFlo® technology and third-generation performance upgrades, the SFA solar attic fans deliver up to 1925 CFM of airflow in full sun exposure and offer an industry-leading Lifetime Parts Limited Warranty.

Model Shown: AB-3523A Jet Black


Product Features

- High-efficiency monocrystalline solar panel with integrated, adjustable bracket.
- Self-flashing design for low-profile roofs with a range of heavy duty powder coated color options.
- Durable corrosion-resistant zincalume alloy metal construction with stainless steel hardware.
- Includes weatherproof caulking, mounting screws, and pre-drilled mounting holes for easy installation.
- Dynamically balanced 14" aluminum fan blade for whisper quiet operation.
- Thermal control and fire safety switch (included) or available Breeze Mate® control system (optional).
- Made in the USA from high quality domestic and foreign materials featuring a Lifetime Parts Limited Warranty.

Includes


- Fan with 14" aluminum blades
- Monocrystalline solar panel
- Integrated, adjustable bracket
- Stainless steel wildlife guard
- Thermal control & fire safety switch
- Contractor installation kit
- **Industry-leading LIFETIME Parts Limited Warranty**

Stock Color Options



Custom colors available for an additional charge, reach out to learn more.

Premium Color Options



Compare Models

Model	AB-2523A	AB-3523A	AB-4523A
Maximum Airflow	1500 CFM	1775 CFM	1925 CFM
Attic Coverage	up to 2500 sqft*	up to 2850 sqft*	up to 3100 sqft*
Solar Panel	25 watt	35 watt	45 watt

*Proper sizing of our attic fans depends on a variety of factors including roof pitch, attic size, architecture, roof color, as well as the specific ventilation application. Please visit our Design Studio at www.atticbreeze.net for more information, contact your nearest distributor or Attic Breeze at 877-288-4234.

†Tog-L-Loc® is a federally registered trademark owned by BTM Corporation.

SFD Model Series

Designed for northern-facing roofs or shaded roof areas where more sun exposure is needed, the SFD model series fans feature a remote-mounted solar panel and self-flashing fan base for easy installation on roofs with composite shingles, cedar shake, flat concrete tiles, or other low-profile roofing materials.

Engineered with Attic Breeze UltraFlo® technology and third-generation performance upgrades, the SFD solar attic fans deliver up to 2150 CFM of airflow in full sun exposure and offer an industry-leading Lifetime Parts Limited Warranty.

Model Shown: AB-3523D Jet Black

Product Features


- High-efficiency monocrystalline solar panel with remote mount brackets and 25' power cable.
- Self-flashing design for low-profile roofs with a range of heavy duty powder coated color options.
- Durable corrosion-resistant zincalume alloy metal construction with stainless steel hardware.
- Includes weatherproof caulking, mounting screws, and pre-drilled mounting holes for easy installation.
- Dynamically balanced 14" aluminum fan blade for whisper quiet operation.
- Thermal control and fire safety switch (included) or available Breeze Mate® control system (optional).
- Made in the USA from high quality domestic and foreign materials featuring a Lifetime Parts Limited Warranty.



Includes

- Fan with 14" aluminum blades
- Remote-mounted, monocrystalline solar panel
- Standard fixed bracket system
- Stainless steel wildlife guard
- 25 feet, 18 AWG power cord
- Thermal control & fire safety switch
- Contractor installation kit
- **Industry-leading LIFETIME Parts Limited Warranty**

Stock Color Options



Custom colors available for an additional charge, reach out to learn more.

Premium Color Options



Compare Models

Model	AB-2523D	AB-3523D	AB-4523D	AB-6523D
Maximum Airflow	1500 CFM	1775 CFM	1925 CFM	2150 CFM
Attic Coverage	up to 2500 sqft*	up to 2850 sqft*	up to 3100 sqft*	up to 3450 sqft*
Solar Panel	25 watt	35 watt	45 watt	65 watt

*Proper sizing of our attic fans depends on a variety of factors including roof pitch, attic size, architecture, roof color, as well as the specific ventilation application. Please visit our Design Studio at www.atticbreeze.net for more information, contact your nearest distributor or Attic Breeze at 877-288-4234.

*Tog-L-Loc® is a federally registered trademark owned by BTM Corporation.